



LEADING THE WORLD IN PERFORMANCE-BASED VALIDATION

---

**Certificate of  
Performance Tested<sup>SM</sup>  
Status**

Certificate No.

**030502**

The AOAC Research Institute hereby certifies that the performance of the test kit designated as:

**BAX<sup>®</sup> System PCR Assay for Screening Genus *Listeria* and the BAX<sup>®</sup>  
System media for *Listeria***

manufactured by

**DuPont Qualicon**  
ESL Building 400  
Route 141 & Henry Clay Road  
P.O. Box 80400  
Wilmington, DE 19880-0400

has been reviewed under the AOAC Research Institute's *Performance Tested Methods<sup>SM</sup>* Program, and found to perform as stated by the manufacturer contingent to the comments contained in the Certification Report. This certificate authorizes the manufacturer to display the AOAC *Performance Tested<sup>SM</sup>* certification mark along with the statement - "THIS TEST KIT'S PERFORMANCE WAS REVIEWED BY AOAC RESEARCH INSTITUTE AND WAS FOUND TO PERFORM TO THE MANUFACTURER'S SPECIFICATIONS" - on the above mentioned test kit for a period of one year from the date of this certificate (December 16, 2011 – December 31, 2012). Renewal may be granted at the end of one year under the rules stated in the licensing agreement.

A handwritten signature in black ink that reads "Deborah McKenzie".

Signed for AOAC Research Institute:

Deborah McKenzie  
Managing Director

Date: December 16, 2011

---

CONTACT US

481 N. FREDERICK AVE, SUITE 500, GAITHERSBURG, MD 20877-2417 +1 (301) 924-7077 +1 (301) 924-7089

[HTTP://WWW.AOAC.ORG/TESTKITS/TESTKITS.HTML](http://www.aoac.org/testkits/testkits.html)