



LEADING THE WORLD IN PERFORMANCE-BASED VALIDATION

**Certificate of
Performance TestedSM
Status**

Certificate No.

981202

The AOAC Research Institute hereby certifies that the performance of the test kit designated as:

VIDAS[®] Listeria Assay

manufactured by

bioMérieux, sa
Chemin de l'Orme
69280 Marcy l'Etoile
France

has been reviewed under the AOAC Research Institute's *Performance Tested MethodsSM* Program, and found to perform as stated by the manufacturer contingent to the comments contained in the Certification Report. This certificate authorizes the manufacturer to display the AOAC *Performance TestedSM* certification mark along with the statement - "THIS TEST KIT'S PERFORMANCE WAS REVIEWED BY AOAC RESEARCH INSTITUTE AND WAS FOUND TO PERFORM TO THE MANUFACTURER'S SPECIFICATIONS" - on the above mentioned test kit for a period of one year from the date of this certificate (December 08, 2011 – December 31, 2012). Renewal may be granted at the end of one year under the rules stated in the licensing agreement.

A handwritten signature in black ink that reads "Deborah McKenzie".

Signed for AOAC Research Institute:

Deborah McKenzie
Managing Director

Date: December 08, 2011

CONTACT US

481 N. FREDERICK AVE, SUITE 500, GAITHERSBURG, MD 20877-2417 +1 (301) 924-7077 +1 (301) 924-7089

[HTTP://WWW.AOAC.ORG/TESTKITS/TESTKITS.HTML](http://www.aoac.org/testkits/testkits.html)