



AOAC Research Institute

481 N. Frederick Ave, Suite 500
Gaithersburg, MD 20877-2417
Telephone: +1-301-924-7090
Fax: +1-301-924-7089

**Certificate of
Performance Tested^K
Status**

Certificate No. 960902

The AOAC Research Institute hereby certifies that the performance of the test kit designated as:

Oxoid Rapid Test for *Salmonella*

manufactured by

**Oxoid Limited
Wade Rd.
Basingstoke, Hants
RG24 0PW ENGLAND**

has been reviewed under the AOAC Research Institute's *Performance Tested Methods^K* Program, and found to perform as stated by the manufacturer contingent to the comments contained in the Certification Report. This certificate authorizes the manufacturer to display the AOAC *Performance Tested^K* certification mark along with the statement - "THIS TEST KIT'S PERFORMANCE WAS REVIEWED BY AOAC RESEARCH INSTITUTE AND WAS FOUND TO PERFORM TO THE MANUFACTURER'S SPECIFICATIONS" - on the above mentioned test kit for a period of one year from the date of this certificate (January 1, 2001 – December 31, 2001). Renewal may be granted at the end of one year under the rules stated in the licensing agreement.

Signed for AOAC Research Institute:

A handwritten signature in cursive script that reads "Scott Coates".

Scott G. Coates
Managing Director